



# TEST REPORT

Send To: 1E482\*M  
CREEKSIDE SPRINGS, LLC  
667 MERCHANT STREET  
AMBRIDGE PA 15003  
Attn: MR. CHUCK WOZNAK

Customer: 1E480  
CREEKSIDE SPRINGS, LLC  
667 MERCHANT STREET  
AMBRIDGE PA 15003  
Attn: MR. CHUCK WOZNAK

Plant: 1E482  
CREEKSIDE SPRINGS, LLC  
302 MERCHANT STREET  
AMBRIDGE PA 15003  
Attn: MR. RICK HITE

Product: Creekside Springs - Facility # 1E482 - Ambridge - USFDA 50 STATE - PRODUCT - [ AC ] ( Distilled Water )


Test Type: AA - Annual Collection

Thank you for having your product tested by NSF.

The enclosed report details the result of the testing performed on your product. Your program representative will be contacting you in the near future if there are any remaining issues concerning the status of this product.

NSF is pleased to announce that you can now access your test reports and product compliance certificate via NSF Online. It is a web-based solution that allows you to make critical business decisions by giving you instant access to your data whenever you need it. NSF Online is a secure website exclusively for NSF customers that offers 24/7 access to your account information at the click of a mouse. Visit [www.nsf.org](http://www.nsf.org), and in the top right corner, you will see a Client Log-In Link. Click on that link and follow the instructions. If you don't know your password/personal ID, please contact your project manager or e-mail: [nsfonline@nsf.org](mailto:nsfonline@nsf.org).

Please do not hesitate to contact us if you have any immediate questions pertaining to your product.

Reviewer:   
Kurtis Kneen - Director, Chemistry Laboratory

Status: **Compliant**

CC: Program: 0195 - Beverages Program  
Program Rep DEBORAH GLENN  
Region: 01 - Domestic  
PA Project: 9030430

**General Information**

Standard: USFDA - USFDA CFR Title 21 Part 165.110 Bottled Water

Clients Name for Product: Distilled Water  
 Date and Time Collected: 08:03 (01219, 01220, 01221) Best By 04/09/11 & 08:04 (01268, 01269, 01271) Best By 04/09/11  
 Fluoride Action Limit: 2.4  
 Sample Taken From: Bottle

Sample Id: **S-0000640976**

Description: Distilled Water 08:03 (01219, 01220, 01221) Best By 04/09/11 &amp; 08:04 (01268, 01269, 01271) Best By 04/09/11

Sampled Date: 04/14/2009

Received Date: 04/13/2009

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
<b>Physical Quality</b>					
Alkalinity as CaCO3	5	ND		mg/LCaCO3	
Color	5	ND	15	Color Unit	Pass
Specific Conductance	0.1	1.1		umhos/cm	
Corrosivity	0	-8.3			
Hardness, Total	2	ND		mg/LCaCO3	
Odor, Threshold	1	1	3	TON	Pass
Solids Total Dissolved	5	ND	500	mg/L	Pass
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	5.22			
Temperature	0	19		deg. C	
Bicarbonate	5	ND		mg/L HCO3	
<b>Disinfection Residuals/Disinfection By-Products</b>					
Bromate	5	ND	10	ug/L	Pass
Chloramine, Total	0.05	ND	4	mg/L	Pass
Dichloramine	0.05	ND		mg/L	
Monochloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Bromochloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Monochloroacetic Acid	2	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Trichloroacetic Acid	1	ND		ug/L	
<b>Radiologicals</b>					
P1 Gross Alpha	3	ND	15	pCi/L	Pass
P1 Gross Beta	4	ND	50	pCi/L	Pass
Radium 226 by SM705 (modified)	1	ND		pCi/L	
Radium 228 by Ra-05	1	ND		pCi/L	
Total Radium	1	ND	5	pCi/L	Pass
Uranium	0.001	ND	0.03	mg/L	Pass

Sample Id: S-0000640976

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
<b>Inorganic Chemicals</b>					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0005	ND	0.006	mg/L	Pass
Arsenic	0.002	ND	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)					
Amphibole Fibers	0.2	ND		MFL	
Chrysotile Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Barium	0.001	ND	2	mg/L	Pass
Beryllium	0.0005	ND	0.004	mg/L	Pass
Bromide	10	ND		ug/L	
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.02	ND		mg/L	
Chloride	2	ND	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.01	ND	0.1	mg/L	Pass
Fluoride	0.1	ND	2.4	mg/L	Pass
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.001	ND	0.005	mg/L	Pass
Magnesium	0.02	ND		mg/L	
Manganese	0.001	ND	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.001	ND	0.1	mg/L	Pass
Nitrogen, Nitrate	0.05	ND	10	mg/L N	Pass
Nitrogen, Nitrite	0.025	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	ND	10	mg/L	Pass
Potassium	0.5	ND		mg/L	
Selenium	0.002	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.5	ND		mg/L	
Sulfur, Sulfate	0.5	ND	250	mg/L	Pass
Surfactants (MBAS)	0.2	ND		mg/L	Pass
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	ND	5	mg/L	Pass
<b>Organic Chemicals</b>					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	10	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					

FI20090430162753

A-00032675

Page 3 of 10

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing, (www.nsf.org). The results relate only to those items tested.

Sample Id: S-0000640976

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
3-Hydroxycarbofuran	1	ND		ug/L	
Aldicarb	1	ND		ug/L	
Aldicarb sulfone	1	ND		ug/L	
Aldicarb sulfoxide	1	ND		ug/L	
Carbaryl	1	ND		ug/L	
Carbofuran	1	ND	40	ug/L	Pass
Methomyl	1	ND		ug/L	
Oxamyl	1	ND	200	ug/L	Pass
<b>Herbicides (Ref: EPA 515.3)</b>					
2,4,5-TP	0.2	ND	50	ug/L	Pass
2,4-D	0.1	ND	70	ug/L	Pass
Bentazon	0.2	ND		ug/L	
Dalapon	1	ND	200	ug/L	Pass
DCPA Acid Metabolites	0.2	ND		ug/L	
Dicamba	0.1	ND		ug/L	
Dinoseb	0.2	ND	7	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
<b>Multicomponent Pesticides and PCBs (Ref: EPA 505)</b>					
Chlordane	0.2	ND	2	ug/L	Pass
PCB 1016	0.3	ND	0.5	ug/L	Pass
PCB 1221	0.4	ND	0.5	ug/L	Pass
PCB 1232	0.4	ND	0.5	ug/L	Pass
PCB 1242	0.3	ND	0.5	ug/L	Pass
PCB 1248	0.2	ND	0.5	ug/L	Pass
PCB 1254	0.2	ND	0.5	ug/L	Pass
PCB 1260	0.3	ND	0.5	ug/L	Pass
Toxaphene	1	ND	3	ug/L	Pass
<b>Semivolatile Organic Compounds (Ref: EPA 525.2)</b>					
2,4 Dinitrotoluene	0.5	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Aldrin	0.1	ND		ug/L	
Atrazine	0.2	ND	3	ug/L	Pass
Benzo(a)Pyrene	0.1	ND	0.2	ug/L	Pass
bis(2-Ethylhexyl)adipate	2	ND	400	ug/L	Pass
bis(2-Ethylhexyl)phthalate	2	ND		ug/L	
Butachlor	0.2	ND		ug/L	
Butylbenzylphthalate	2	ND		ug/L	
Di-n-butylphthalate	2	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
EPTC	0.5	ND		ug/L	
Heptachlor	0.1	ND	0.4	ug/L	Pass

Sample Id: S-0000640976

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
Heptachlor Epoxide	0.1	ND	0.2	ug/L	Pass
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
Lindane	0.1	ND	0.2	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
Metolachlor	0.1	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Molinate	0.1	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Simazine	0.2	ND	4	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
<b>Miscellaneous</b>					
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1,2,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,3-Dichloropropane	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
2,2-Dichloropropane	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Bromobenzene	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
Bromodichloromethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
Bromomethane	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
Chlorobenzene	0.5	ND	100	ug/L	Pass

Sample Id: S-0000640976

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
<b>Miscellaneous</b>					
Chlorodibromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Chloroform	0.5	0.8		ug/L	
Chloromethane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
cis-1,3-Dichloropropene	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
Dichlorodifluoromethane	0.5	ND		ug/L	
Ethyl Benzene	0.5	ND	700	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
m+p-Xylenes	1	ND		ug/L	
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
n-Butylbenzene	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
o-Xylene	0.5	ND	10000	ug/L	Pass
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
tert-Butylbenzene	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Toluene	0.5	ND	1000	ug/L	Pass
Total Trihalomethanes	0.5	0.8	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
trans-1,3-Dichloropropene	0.5	ND		ug/L	
Trichloroethylene	0.5	ND	5	ug/L	Pass
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass

**<<Additional Information>>**

Sample Id: S-0000640976

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Physical Quality</b>			
* Alkalinity (Ref: SM 2320-B)	14-APR-2009		
* Color (Ref: SM 2120-B)	14-APR-2009	11:25	
Specific Conductance (Ref: EPA 120.1)	14-APR-2009		
* Corrosivity (Ref: SM 2330-B)			
* Hardness, Total (Ref: EPA 200.7)	20-APR-2009		
* Odor, Threshold Number (Ref: EPA 140.1)	14-APR-2009		
* Solids, Total Dissolved (Ref: SM 2540-C)	15-APR-2009		
Turbidity (Ref: EPA 180.1)	14-APR-2009	11:15	
pH (Ref: EPA 150.1)	14-APR-2009	9:05	
* Bicarbonate (Ref: SM 2320-B)			
<b>Disinfection Residuals/Disinfection By-Products</b>			
Bromate (Ref: EPA 300.1)	15-APR-2009		
* Chloramines (Ref: SM 4500-Cl-G)	14-APR-2009	9:30	
* Chlorine, Total Residual (Ref: SM 4500-Cl-G)	14-APR-2009	10:20	
Chlorite (Ref: EPA 300.1)	15-APR-2009		
* Chlorine Dioxide (Ref: SM 4500-ClO2-D)	14-APR-2009	9:30	
Haloacetic Acids (Ref: EPA 552.2)	15-APR-2009		14-APR-2009
<b>Radiologicals</b>			
(1) * Gross Alpha/Beta Counts (Ref: EPA 900)- General Engineering	18-APR-2009		
(1) * Total Radium (General Engineering)	22-APR-2009		
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
<b>Inorganic Chemicals</b>			
Aluminum (Ref: EPA 200.8)	17-APR-2009		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
(2) * Asbestos in Water (Ref: EPA 600/4-83/043,100.1)	22-APR-2009	1018	
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Bromide (Ref: EPA 300.1)	15-APR-2009		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	17-APR-2009		
Chloride (Ref: EPA 300.0)	13-APR-2009		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Inorganic Chemicals</b>			
Cyanide, Total (Ref: EPA 335.4)	20-APR-2009		
Fluoride (Ref: SM 4500-F-C)	17-APR-2009		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	17-APR-2009		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	17-APR-2009		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Nitrogen, Nitrate (Ref: EPA 300.0)	13-APR-2009	0943	
Nitrogen, Nitrite (Ref: EPA 300.0)	13-APR-2009	0943	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	17-APR-2009		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	17-APR-2009		
Sulfur, Sulfate (Ref: EPA 300.0)	13-APR-2009		
* Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	14-APR-2009	10:00	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
Phenolics, Total Recoverable (Ref: EPA 420.2)	28-APR-2009		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	17-APR-2009		
<b>Organic Chemicals</b>			
Diquat (Ref: EPA 549.2)	21-APR-2009		14-APR-2009
Endothall (Ref: EPA 548.1) - (ug/L)	16-APR-2009		15-APR-2009
Glyphosate (Ref: EPA 547)	15-APR-2009		
Perchlorate (Ref: EPA 314.0)	15-APR-2009		
2,3,7,8-TCDD (Ref: EPA 1613B)	16-APR-2009		15-APR-2009
Carbamate Pesticides (Ref: 531.2)	22-APR-2009		
Herbicides (Ref: EPA 515.3)	22-APR-2009		20-APR-2009
Multicomponent Pesticides and PCBs (Ref: EPA 505)	15-APR-2009		
Semivolatile Organic Compounds (Ref: EPA 525.2)	20-APR-2009		16-APR-2009
Volatiles: EDB and DBCP (Ref: EPA 504.1)	15-APR-2009		
<b>Miscellaneous</b>			
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	14-APR-2009		

**Testing Laboratories:**

	<u>Flag</u>	<u>Id</u>	<u>Address</u>
All work performed at: (Unless otherwise specified)	→	NSF_AA	NSF INTERNATIONAL 789 N. DIXBORO ROAD ANN ARBOR MI 48105
(1)		GENENG	GEL Laboratories LLC 2040 Savage Road Charleston, SC 29407 NELAP PA certificate number 68-000485 Arizona License #AZ0668
(2)		BVNA	Bureau Veritas North America 22345 Roethel Dr. Novi, MI 48375 Arizona License #AZ0675

**References to Testing Procedures:**

<u>NSF Reference</u>	<u>Parameter / Test Description</u>
C0185	* Total Radium (General Engineering)
C1010	* Odor, Threshold Number (Ref: EPA 140.1)
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3012	* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfur, Sulfate (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: EPA 335.4)
C3021	Phenolics, Total Recoverable (Ref: EPA 420.2)
C3025	Chlorite (Ref: EPA 300.1)
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	* Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	* Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	* Color (Ref: SM 2120-B)
C3158	Specific Conductance (Ref: EPA 120.1)
C3159	pH (Ref: EPA 150.1)
C3161	* Hardness, Total (Ref: EPA 200.7)
C3166	* Bicarbonate (Ref: SM 2320-B)
C3167	* Chlorine, Total Residual (Ref: SM 4500-CL-G)

References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C3168	* Chlorine Dioxide (Ref: SM 4500-CIO2-D)
C3169	* Chloramines (Ref: SM 4500-Cl-G)
C3170	Fluoride (Ref: SM 4500-F-C)
C3174	* Alkalinity (Ref: SM 2320-B)
C3188	Silver in Drinking Water by ICPMS (Ref: EPA 200.8)
C3210	* Corrosivity (Ref: SM 2330-B)
C3244	* Gross Alpha/Beta Counts (Ref: EPA 900)- General Engineering
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C4076	Carbamate Pesticides (Ref: 531.2)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref: EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2) (comment: NELAC approved method)
C4202	Herbicides (Ref: EPA 515.3)
C4292	Multicomponent Pesticides and PCBs (Ref: EPA 505)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)

Certifications:

Michigan ( # 0048 )	Florida ( # E-87752 FL )	California ( # 01149 CA )
New York ( # 11206 )	Connecticut ( # PH-0625 )	New Jersey ( # 62770 )
South Carolina ( # 81005 )	Pennsylvania ( # 68-00312 )	Arizona ( # AZ0655 )
Hawaii	Indiana	Maryland ( # 201 )
Nevada ( # MI000302007A )	Virginia ( # 00045 )	Vermont ( # VT 11206 )

Test descriptions preceded by an asterisk "\*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the detection limit for the instrument.