



Send To: 1E480

Mr. Dave Carlson
Creekside Springs, LLC
667 Merchant Street
Ambridge, PA 15003

Facility: 1E482

Creekside Springs, LLC
667 Merchant Street
Ambridge, PA 15003

| Result | COMPLIANT | Report Date | 29-APR-2011 |
|-----------------|---------------------------------|-------------|-------------|
| Customer Name | Creekside Springs, LLC | | |
| Tested To | USFDA CFR Title 21 Part 165.110 | | |
| Description | Distilled Water | | |
| Test Type | Annual Collection | | |
| Job Number | A-00101592 | | |
| Project Number | 9093949 (CLAB) | | |
| Project Manager | Myla Estacio | | |

Thank you for having your product tested by NSF International.

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

Report Authorization

Kurt Kneen - Director, Chemistry Laboratory

Date

29-APR-2011



General Information

Standard: USFDA CFR Title 21 Part 165.110
Lot Number: 569 570 572 621 622 625 Best By 4/7/13
Product Description: Distilled Water

Sample Id: **S-0000825747**
Description: Distilled Water 569 570 572 621 622 625 Best By 4/7/13
Sampled Date: 04/14/2011
Received Date: 04/13/2011

| Testing Parameter | Detection Limit | Result | FDA SOQ | Units | P / F |
|--------------------------------------------------------|-----------------|--------|---------|------------|-------|
| Physical Quality | | | | | |
| Alkalinity as CaCO3 | 5 | ND | | mg/LCaCO3 | |
| Color | 5 | ND | 15 | Color Unit | Pass |
| Specific Conductance | 0.1 | 3.6 | | umhos/cm | |
| Corrosivity | 0 | -7.99 | | | |
| Hardness, Total | 2 | ND | | mg/LCaCO3 | |
| Odor, Threshold | 1 | 1 | 3 | TON | Pass |
| Solids Total Dissolved | 5 | ND | 500 | mg/L | Pass |
| Turbidity | 0.1 | ND | 5 | NTU | Pass |
| pH | 0.01 | 5.75 | | | |
| Temperature | 0 | 20 | | deg. C | |
| Bicarbonate | 5 | ND | | mg/L HCO3 | |
| Disinfection Residuals/Disinfection By-Products | | | | | |
| Bromate | 5 | ND | 10 | ug/L | Pass |
| Chloramine, Total | 0.05 | ND | 4 | mg/L | Pass |
| Dichloramine | 0.05 | ND | | mg/L | |
| Monochloramine | 0.05 | ND | | mg/L | |
| Nitrogen trichloride | 0.05 | ND | | mg/L | |
| Chlorine, Total Residual | 0.05 | ND | 4 | mg/L | Pass |
| Chlorite | 10 | ND | 1000 | ug/L | Pass |
| Chlorine Dioxide | 0.1 | ND | 0.8 | mg/L | Pass |
| Bromochloroacetic Acid | 1 | ND | | ug/L | |
| Dibromoacetic Acid | 1 | ND | | ug/L | |
| Dichloroacetic Acid | 1 | ND | | ug/L | |
| Monobromoacetic Acid | 1 | ND | | ug/L | |
| Monochloroacetic Acid | 2 | ND | | ug/L | |
| Total Haloacetic Acid | 1 | ND | 60 | ug/L | Pass |
| Trichloroacetic Acid | 1 | ND | | ug/L | |
| Radiologicals | | | | | |
| P1 Gross Alpha | 3 | ND | 15 | pCi/L | Pass |
| P1 Gross Beta | 4 | ND | 50 | pCi/L | Pass |
| Radium 226 by SM705 (modified) | 1 | ND | | pCi/L | |
| Radium 228 by Ra-05 | 1 | ND | | pCi/L | |
| Total Radium | 1 | ND | 5 | pCi/L | Pass |
| Uranium | 0.001 | ND | 0.03 | mg/L | Pass |
| Inorganic Chemicals | | | | | |
| Aluminum | 0.01 | ND | 0.2 | mg/L | Pass |
| Antimony | 0.0005 | ND | 0.006 | mg/L | Pass |
| Arsenic | 0.002 | ND | 0.01 | mg/L | Pass |



Sample Id: S-0000825747

| Testing Parameter | Detection Limit | Result | FDA SOQ | Units | P / F |
|---------------------------------------------------|-----------------|--------|---------|--------|-------|
| Inorganic Chemicals | | | | | |
| * Asbestos in Water (Ref: EPA 600/4-83/043,100.1) | | | | | |
| Amphibole Fibers | 0.2 | ND | | MFL | |
| Chrysotile Fibers | 0.2 | ND | | MFL | |
| Single Fiber Detection Limit | 0.2 | ND | | MFL | |
| Barium | 0.001 | ND | 2 | mg/L | Pass |
| Beryllium | 0.0005 | ND | 0.004 | mg/L | Pass |
| Bromide | 10 | ND | | ug/L | |
| Cadmium | 0.0002 | ND | 0.005 | mg/L | Pass |
| Calcium | 0.02 | ND | | mg/L | |
| Chloride | 2 | ND | 250 | mg/L | Pass |
| Chromium (includes Hexavalent Chromium) | 0.001 | ND | 0.1 | mg/L | Pass |
| Copper | 0.001 | ND | 1 | mg/L | Pass |
| Cyanide, Total | 0.01 | ND | 0.2 | mg/L | Pass |
| Fluoride | 0.1 | ND | 2.4 | mg/L | Pass |
| Iron | 0.02 | ND | 0.3 | mg/L | Pass |
| Lead | 0.001 | ND | 0.005 | mg/L | Pass |
| Magnesium | 0.02 | ND | | mg/L | |
| Manganese | 0.001 | ND | 0.05 | mg/L | Pass |
| Mercury | 0.0002 | ND | 0.002 | mg/L | Pass |
| Nickel | 0.001 | ND | 0.1 | mg/L | Pass |
| Nitrogen, Nitrate | 0.05 | ND | 10 | mg/L N | Pass |
| Nitrogen, Nitrite | 0.025 | ND | 1 | mg/L N | Pass |
| Total Nitrate + Nitrite-Nitrogen | 0.02 | 0.05 | 10 | mg/L | Pass |
| Potassium | 0.5 | ND | | mg/L | |
| Selenium | 0.002 | ND | 0.05 | mg/L | Pass |
| Silver | 0.001 | ND | 0.1 | mg/L | Pass |
| Sodium | 0.5 | ND | | mg/L | |
| Sulfur, Sulfate | 0.5 | ND | 250 | mg/L | Pass |
| Surfactants (MBAS) | 0.2 | ND | | mg/L | Pass |
| Thallium | 0.0002 | ND | 0.002 | mg/L | Pass |
| Phenolics | 0.001 | ND | 0.001 | mg/L | Pass |
| Zinc | 0.01 | ND | 5 | mg/L | Pass |
| Organic Chemicals | | | | | |
| Diquat (Ref: EPA 549.2) | | | | | |
| Diquat | 0.4 | ND | 20 | ug/L | Pass |
| Endothall (Ref: EPA 548.1) - (ug/L) | | | | | |
| Endothall | 9 | ND | 100 | ug/L | Pass |
| Glyphosate (Ref: EPA 547) | | | | | |
| Glyphosate | 6 | ND | 700 | ug/L | Pass |
| Perchlorate (Ref: EPA 314.0) | | | | | |
| Perchlorate | 1 | ND | | ug/L | |
| 2,3,7,8-TCDD (Ref: EPA 1613B) | | | | | |
| 2,3,7,8-Tetrachlorodibenzo-p-dioxin | 10 | ND | 30 | pg/L | Pass |
| Carbamate Pesticides (Ref: 531.2) | | | | | |
| 3-Hydroxycarbofuran | 1 | ND | | ug/L | |
| Aldicarb | 1 | ND | | ug/L | |
| Aldicarb sulfone | 1 | ND | | ug/L | |



Sample Id: S-0000825747

| Testing Parameter | Detection Limit | Result | FDA SOQ | Units | P / F |
|---------------------------------------------------|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| Aldicarb sulfoxide | 1 | ND | | ug/L | |
| Carbaryl | 1 | ND | | ug/L | |
| Carbofuran | 1 | ND | 40 | ug/L | Pass |
| Methomyl | 1 | ND | | ug/L | |
| Oxamyl | 1 | ND | 200 | ug/L | Pass |
| Herbicides (Ref: EPA 515.3) | | | | | |
| 2,4,5-TP | 0.2 | ND | 50 | ug/L | Pass |
| 2,4-D | 0.1 | ND | 70 | ug/L | Pass |
| Bentazon | 0.2 | ND | | ug/L | |
| Dalapon | 1 | ND | 200 | ug/L | Pass |
| DCPA Acid Metabolites | 0.2 | ND | | ug/L | |
| Dicamba | 0.1 | ND | | ug/L | |
| Dinoseb | 0.2 | ND | 7 | ug/L | Pass |
| Pentachlorophenol | 0.04 | ND | 1 | ug/L | Pass |
| Picloram | 0.1 | ND | 500 | ug/L | Pass |
| Multicomponent Pesticides and PCBs (Ref: EPA 505) | | | | | |
| Chlordane | 0.2 | ND | 2 | ug/L | Pass |
| PCB 1016 | 0.3 | ND | 0.5 | ug/L | Pass |
| PCB 1221 | 0.4 | ND | 0.5 | ug/L | Pass |
| PCB 1232 | 0.4 | ND | 0.5 | ug/L | Pass |
| PCB 1242 | 0.3 | ND | 0.5 | ug/L | Pass |
| PCB 1248 | 0.2 | ND | 0.5 | ug/L | Pass |
| PCB 1254 | 0.2 | ND | 0.5 | ug/L | Pass |
| PCB 1260 | 0.3 | ND | 0.5 | ug/L | Pass |
| Total PCBs | 0.4 | ND | 0.5 | ug/L | Pass |
| Toxaphene | 1 | ND | 3 | ug/L | Pass |
| Semivolatile Organic Compounds (Ref: EPA 525.2) | | | | | |
| 2,4 Dinitrotoluene | 0.5 | ND | | ug/L | |
| 2,6-Dinitrotoluene | 0.5 | ND | | ug/L | |
| Alachlor | 0.1 | ND | 2 | ug/L | Pass |
| Aldrin | 0.1 | ND | | ug/L | |
| Atrazine | 0.2 | ND | 3 | ug/L | Pass |
| Benzo(a)Pyrene | 0.1 | ND | 0.2 | ug/L | Pass |
| bis(2-Ethylhexyl)adipate | 2 | ND | 400 | ug/L | Pass |
| bis(2-Ethylhexyl)phthalate (DEHP) | 2 | ND | | ug/L | |
| Butachlor | 0.2 | ND | | ug/L | |
| Butylbenzylphthalate | 2 | ND | | ug/L | |
| Di-n-butylphthalate | 2 | ND | | ug/L | |
| Dieldrin | 0.5 | ND | | ug/L | |
| Diethylphthalate | 2 | ND | | ug/L | |
| Dimethylphthalate | 2 | ND | | ug/L | |
| Endrin | 0.1 | ND | 2 | ug/L | Pass |
| EPTC | 0.5 | ND | | ug/L | |
| Heptachlor | 0.1 | ND | 0.4 | ug/L | Pass |
| Heptachlor Epoxide | 0.1 | ND | 0.2 | ug/L | Pass |
| Hexachlorobenzene | 0.1 | ND | 1 | ug/L | Pass |



Sample Id: S-0000825747

| Testing Parameter | Detection Limit | Result | FDA SOQ | Units | P / F |
|------------------------------------------------------------|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| Hexachlorocyclopentadiene | 0.1 | ND | 50 | ug/L | Pass |
| Lindane | 0.1 | ND | 0.2 | ug/L | Pass |
| Methoxychlor | 0.1 | ND | 40 | ug/L | Pass |
| Metolachlor | 0.1 | ND | | ug/L | |
| Metribuzin | 0.1 | ND | | ug/L | |
| Molinate | 0.1 | ND | | ug/L | |
| p,p'-DDE (4,4'-DDE) | 0.5 | ND | | ug/L | |
| Propachlor | 0.1 | ND | | ug/L | |
| Simazine | 0.2 | ND | 4 | ug/L | Pass |
| Terbacil | 0.5 | ND | | ug/L | |
| Volatiles: EDB and DBCP (Ref: EPA 504.1) | | | | | |
| 1,2-Dibromo-3-Chloropropane (DBCP) | 0.01 | ND | 0.2 | ug/L | Pass |
| Ethylene Dibromide (EDB) | 0.01 | ND | 0.05 | ug/L | Pass |
| Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) | | | | | |
| 1,1,1,2-Tetrachloroethane | 0.5 | ND | | ug/L | |
| 1,1,1-Trichloroethane | 0.5 | ND | 200 | ug/L | Pass |
| 1,1,2,2-Tetrachloroethane | 0.5 | ND | | ug/L | |
| 1,1,2-Trichloroethane | 0.5 | ND | 5 | ug/L | Pass |
| 1,1-Dichloroethane | 0.5 | ND | | ug/L | |
| 1,1-Dichloroethylene | 0.5 | ND | 7 | ug/L | Pass |
| 1,1-Dichloropropene | 0.5 | ND | | ug/L | |
| 1,2,3-Trichlorobenzene | 0.5 | ND | | ug/L | |
| 1,2,3-Trichloropropane | 0.5 | ND | | ug/L | |
| 1,2,3-Trimethylbenzene | 0.5 | ND | | ug/L | |
| 1,2,4-Trichlorobenzene | 0.5 | ND | 70 | ug/L | Pass |
| 1,2,4-Trimethylbenzene | 0.5 | ND | | ug/L | |
| 1,2-Dichlorobenzene | 0.5 | ND | 600 | ug/L | Pass |
| 1,2-Dichloroethane | 0.5 | ND | 5 | ug/L | Pass |
| 1,2-Dichloropropane | 0.5 | ND | 5 | ug/L | Pass |
| 1,3,5-Trimethylbenzene | 0.5 | ND | | ug/L | |
| 1,3-Dichlorobenzene | 0.5 | ND | | ug/L | |
| 1,3-Dichloropropane | 0.5 | ND | | ug/L | |
| 1,4-Dichlorobenzene | 0.5 | ND | 75 | ug/L | Pass |
| 2,2-Dichloropropane | 0.5 | ND | | ug/L | |
| 2-Chlorotoluene | 0.5 | ND | | ug/L | |
| 4-Chlorotoluene | 0.5 | ND | | ug/L | |
| Benzene | 0.5 | ND | 5 | ug/L | Pass |
| Bromobenzene | 0.5 | ND | | ug/L | |
| Bromochloromethane | 0.5 | ND | | ug/L | |
| Bromodichloromethane | 0.5 | 1.9 | | ug/L | |
| Bromoform | 0.5 | ND | | ug/L | |
| Bromomethane | 0.5 | ND | | ug/L | |
| Carbon Tetrachloride | 0.5 | ND | 5 | ug/L | Pass |
| Chlorobenzene | 0.5 | ND | 100 | ug/L | Pass |
| Chlorodibromomethane | 0.5 | ND | | ug/L | |
| Chloroethane | 0.5 | ND | | ug/L | |



Sample Id: S-0000825747

| Testing Parameter | Detection Limit | Result | FDA SOQ | Units | P / F |
|--------------------------------|-----------------|--------|---------|-------|-------|
| Organic Chemicals | | | | | |
| Chloroform | 0.5 | 7.9 | | ug/L | |
| Chloromethane | 0.5 | ND | | ug/L | |
| cis-1,2-Dichloroethylene | 0.5 | ND | 70 | ug/L | Pass |
| cis-1,3-Dichloropropene | 0.5 | ND | | ug/L | |
| Dibromomethane | 0.5 | ND | | ug/L | |
| Dichlorodifluoromethane | 0.5 | ND | | ug/L | |
| Ethyl Benzene | 0.5 | ND | 700 | ug/L | Pass |
| Hexachlorobutadiene | 0.5 | ND | | ug/L | |
| Isopropylbenzene (Cumene) | 0.5 | ND | | ug/L | |
| m+p-Xylenes | 1 | ND | | ug/L | |
| Methyl-tert-Butyl Ether (MTBE) | 0.5 | ND | | ug/L | |
| Methylene Chloride | 0.5 | ND | 5 | ug/L | Pass |
| n-Butylbenzene | 0.5 | ND | | ug/L | |
| n-Propylbenzene | 0.5 | ND | | ug/L | |
| Naphthalene | 0.5 | ND | | ug/L | |
| o-Xylene | 0.5 | ND | | ug/L | |
| p-Isopropyltoluene (Cymene) | 0.5 | ND | | ug/L | |
| sec-Butylbenzene | 0.5 | ND | | ug/L | |
| Styrene | 0.5 | ND | 100 | ug/L | Pass |
| tert-Butylbenzene | 0.5 | ND | | ug/L | |
| Tetrachloroethylene | 0.5 | ND | 5 | ug/L | Pass |
| Toluene | 0.5 | 0.5 | 1000 | ug/L | Pass |
| Total Trihalomethanes | 0.5 | 9.8 | 80 | ug/L | Pass |
| Total Xylenes | 0.5 | ND | | ug/L | |
| trans-1,2-Dichloroethylene | 0.5 | ND | 100 | ug/L | Pass |
| trans-1,3-Dichloropropene | 0.5 | ND | | ug/L | |
| Trichloroethylene | 0.5 | ND | 5 | ug/L | Pass |
| Trichlorofluoromethane | 0.5 | ND | | ug/L | |
| Trichlorotrifluoroethane | 0.5 | ND | | ug/L | |
| Vinyl Chloride | 0.5 | ND | 2 | ug/L | Pass |



<<Additional Information>>

Sample Id: S-0000825747

| Test Parameter | Date Analyzed | Time Analyzed | Date Prepared/ Processed |
|-------------------------------------------------------------------|---------------|---------------|--------------------------|
| Physical Quality | | | |
| Alkalinity (Ref: SM 2320-B) | 14-APR-2011 | | |
| Color (Ref: SM 2120-B) | 14-APR-2011 | 10:45 | |
| Specific Conductance (Ref: EPA 120.1) | 14-APR-2011 | | |
| Corrosivity (Ref: SM 2330-B) | | | |
| Hardness, Total (Ref: EPA 200.7) | | | |
| Odor, Threshold Number (Ref: EPA 140.1) | 14-APR-2011 | | |
| Solids, Total Dissolved (Ref: SM 2540-C) | 15-APR-2011 | | |
| Turbidity (Ref: EPA 180.1) | 14-APR-2011 | 10:30 | |
| pH (Ref: SM4500-HB) | 14-APR-2011 | 12:20 | |
| Bicarbonate (Ref: SM 2320-B) | | | |
| Disinfection Residuals/Disinfection By-Products | | | |
| Bromate (Ref: EPA 300.1) | 18-APR-2011 | | |
| Chloramines (Ref: SM 4500-Cl-G) | 14-APR-2011 | 13:42 | |
| Chlorine, Total Residual (ref. Hach 8167) | 14-APR-2011 | 12:30 | |
| Chlorite (Ref: EPA 300.1) | 18-APR-2011 | | |
| Chlorine Dioxide (Ref: SM 4500-ClO2-D) | 14-APR-2011 | 13:42 | |
| Haloacetic Acids (Ref: EPA 552.2) | 19-APR-2011 | | 18-APR-2011 |
| Radiologicals | | | |
| (1) * Gross Alpha/Beta Counts (Ref: EPA 900)- General Engineering | 24-APR-2011 | | |
| (1) * Total Radium (General Engineering) | 26-APR-2011 | | |
| Uranium in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Inorganic Chemicals | | | |
| Aluminum (Ref: EPA 200.8) | 27-APR-2011 | | |
| Antimony in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| (2) * Asbestos in Water (Ref: EPA 600/4-83/043,100.1) | 20-APR-2011 | 1047 | |
| Barium in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Bromide (Ref: EPA 300.1) | 18-APR-2011 | | |
| Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Calcium in Drinking Water by ICPAES (Ref: EPA 200.7) | 28-APR-2011 | | |
| Chloride (Ref: EPA 300.0) | 14-APR-2011 | | |
| Chromium in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |



<<Additional Information>>

Sample Id: S-0000825747

| Test Parameter | Date Analyzed | Time Analyzed | Date Prepared/ Processed |
|----------------------------------------------------------------|---------------|---------------|--------------------------|
| Inorganic Chemicals | | | |
| Copper in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Cyanide, Total (Ref: EPA 335.4) | 15-APR-2011 | | |
| Fluoride (Ref: SM 4500-F-C) | 18-APR-2011 | | |
| Iron in Drinking Water by ICPAES (Ref: EPA 200.7) | 27-APR-2011 | | |
| Lead in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7) | 28-APR-2011 | | |
| Manganese in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Mercury in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Nickel in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Nitrogen, Nitrate (Ref: EPA 300.0) | 14-APR-2011 | 1105 | |
| Nitrogen, Nitrite (Ref: EPA 300.0) | 14-APR-2011 | 1105 | |
| Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0) | | | |
| Potassium by ICPAES (Ref: EPA 200.7) | 27-APR-2011 | | |
| Selenium in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Silver in Drinking Water by ICPMS (Ref: EPA 200.8) | 14-APR-2011 | | |
| Sodium in Drinking Water by ICPAES (Ref: EPA 200.7) | 27-APR-2011 | | |
| Sulfur, Sulfate (Ref: EPA 300.0) | 14-APR-2011 | | |
| Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C) | 14-APR-2011 | 9:26 | |
| Thallium in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| * Phenolics, Total Recoverable (Ref: EPA 420.2) | 18-APR-2011 | | |
| Zinc in Drinking Water by ICPMS (Ref: EPA 200.8) | 27-APR-2011 | | |
| Organic Chemicals | | | |
| Diquat (Ref: EPA 549.2) | 20-APR-2011 | | 18-APR-2011 |
| Endothall (Ref: EPA 548.1) - (ug/L) | 17-APR-2011 | | 15-APR-2011 |
| Glyphosate (Ref: EPA 547) | 21-APR-2011 | | |
| Perchlorate (Ref: EPA 314.0) | 14-APR-2011 | | |
| 2,3,7,8-TCDD (Ref: EPA 1613B) | 18-APR-2011 | | 15-APR-2011 |
| Carbamate Pesticides (Ref: 531.2) | 19-APR-2011 | | |
| Herbicides (Ref: EPA 515.3) | 20-APR-2011 | | 19-APR-2011 |
| Multicomponent Pesticides and PCBs (Ref: EPA 505) | 25-APR-2011 | | |
| Semivolatile Organic Compounds (Ref: EPA 525.2) | 14-APR-2011 | | 14-APR-2011 |
| Volatiles: EDB and DBCP (Ref: EPA 504.1) | 25-APR-2011 | | |
| Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) | 19-APR-2011 | | |





Testing Laboratories:

| | Flag | Id | Address |
|--------------------------------------------------------|------|--------|--------------------------------------------------------------------------------------------------------------------------------------|
| All work performed at: (Unless otherwise specified) | → | NSF_AA | NSF International 789 N. Dixboro Road Ann Arbor MI 48105 |
| | (1) | GENENG | GEL Laboratories LLC 2040 Savage Road Charleston, SC 29407 NELAP PA certificate number 68-000485 Arizona License #AZ0668 |
| | (2) | BVNA | Bureau Veritas North America 22345 Roethel Dr. Novi, MI 48375 Arizona License #AZ0675 |

References to Testing Procedures:

| NSF Reference | Parameter / Test Description |
|---------------|----------------------------------------------------------------|
| C0185 | * Total Radium (General Engineering) |
| C1010 | Odor, Threshold Number (Ref: EPA 140.1) |
| C2015 | 2,3,7,8-TCDD (Ref: EPA 1613B) |
| C3012 | * Asbestos in Water (Ref: EPA 600/4-83/043,100.1) |
| C3013 | Chloride (Ref: EPA 300.0) |
| C3014 | Bromide (Ref: EPA 300.1) |
| C3015 | Bromate (Ref: EPA 300.1) |
| C3016 | Nitrogen, Nitrate (Ref: EPA 300.0) |
| C3017 | Nitrogen, Nitrite (Ref: EPA 300.0) |
| C3018 | Sulfur, Sulfate (Ref: EPA 300.0) |
| C3019 | Cyanide, Total (Ref: EPA 335.4) |
| C3021 | * Phenolics, Total Recoverable (Ref: EPA 420.2) |
| C3025 | Chlorite (Ref: EPA 300.1) |
| C3033 | Aluminum (Ref: EPA 200.8) |
| C3036 | Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3039 | Barium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3042 | Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3044 | Calcium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3047 | Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3053 | Chromium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3059 | Copper in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3064 | Iron in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3072 | Mercury in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3079 | Potassium by ICPAES (Ref: EPA 200.7) |
| C3085 | Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3086 | Manganese in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3091 | Sodium in Drinking Water by ICPAES (Ref: EPA 200.7) |
| C3094 | Nickel in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3101 | Lead in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3114 | Antimony in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3116 | Selenium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3128 | Thallium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3136 | Zinc in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3144 | Solids, Total Dissolved (Ref: SM 2540-C) |
| C3145 | Turbidity (Ref: EPA 180.1) |
| C3155 | Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C) |
| C3157 | Color (Ref: SM 2120-B) |
| C3158 | Specific Conductance (Ref: EPA 120.1) |
| C3159 | pH (Ref: SM4500-HB) |



References to Testing Procedures: (Cont'd)

| NSF Reference | Parameter / Test Description |
|---------------|---------------------------------------------------------------|
| C3161 | Hardness, Total (Ref: EPA 200.7) |
| C3166 | Bicarbonate (Ref: SM 2320-B) |
| C3167 | Chlorine, Total Residual (ref. Hach 8167) |
| C3168 | Chlorine Dioxide (Ref: SM 4500-CIO2-D) |
| C3169 | Chloramines (Ref: SM 4500-CI-G) |
| C3170 | Fluoride (Ref: SM 4500-F-C) |
| C3174 | Alkalinity (Ref: SM 2320-B) |
| C3188 | Silver in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C3210 | Corrosivity (Ref: SM 2330-B) |
| C3244 | * Gross Alpha/Beta Counts (Ref: EPA 900)- General Engineering |
| C3342 | Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0) |
| C4076 | Carbamate Pesticides (Ref: 531.2) |
| C4145 | Diquat (Ref: EPA 549.2) |
| C4154 | Endothall (Ref: EPA 548.1) - (ug/L) |
| C4193 | Glyphosate (Ref: EPA 547) |
| C4198 | Haloacetic Acids (Ref: EPA 552.2) |
| C4202 | Herbicides (Ref: EPA 515.3) |
| C4292 | Multicomponent Pesticides and PCBs (Ref: EPA 505) |
| C4343 | Semivolatile Organic Compounds (Ref: EPA 525.2) |
| C4411 | Volatiles: EDB and DBCP (Ref: EPA 504.1) |
| C4496 | Uranium in Drinking Water by ICPMS (Ref: EPA 200.8) |
| C4497 | Perchlorate (Ref: EPA 314.0) |
| C4661 | Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2) |

Certifications:

| | | |
|-----------------------------|----------------------------|----------------------------|
| Arizona (# AZ0655) | California (# 01149 CA) | Connecticut (# PH-0625) |
| Florida (# E-87752 FL) | Hawaii | Indiana |
| Maryland (# 201) | Michigan (# 0048) | North Carolina (# 26701) |
| New Jersey (# 62770) | Nevada (# MI000302010A) | New York (# 11206) |
| Pennsylvania (# 68-00312) | South Carolina (# 81005) | Virginia (# 00045) |
| Vermont (# VT 11206) | | |

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

The reported result for Odor, Phenolics, Potassium, Specific Conductance and Total Residual Chlorine cannot be used for compliance purposes within the State of Arizona.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the detection limit for the instrument.